

43-365 Wilkowice, ul. Furmaniec 4 tel. 33 816 10 20, tel./fax 33 818 93 66 www.alux.pl, email: alux@alux.pl

PRICE LIST 1.05.2024



1.	Irons and accessories	3
2.	Semi-Professional ironing tables	4
3.	ProfesSional Ironing tables	13
4.	Upsteaming machines	25
5.	Ironing tables for curtains	29
6.	Form Finisher	33
7.	Fusing plate Presses/ fusing machines for transfers	35
8.	Spotting equipment	36
9.	Bagging machines	38
10.	Steam generators	40
11.	Additional equipment	50



43-316 WILKOWICE, UL. FURMANIEC 4 tel. +48 33 816 10 20, email: alux@alux.pl, www.alux.pl




	1. IRONS AND ACCESSORIES	
01265A	Iron AX250 –Economic line of irons, recommended for Mila steam generator in set with WA-6 or WA-7. Reccomended with Ecomatic line. Complete iron with electric cable, steam hose, electric plunger.	
	Price: 85 €	
01276K	Alux T3 elegant industrial iron with ergonomic cork handle for professional use. Suspension mounted on the back of the iron. Recommended for sets: WA-10, WA-17, WA-9 Complete iron with electric cable, steam hose, electric plunger	
01260A	Price: 225 € Electric Iron Jolly – popular Iron for industry. cork handle.	
01200A	Complete iron with electric cable, steam hose, electric plunger.	
	Price: 195€	
01274AP	Electric iron Alux Open – open handle with double micro switch on both sides of handle. Ideal for right and left hand users. Complete iron with electric cable, steam hose, electric plunger. Price: On demand	
01335B	All Steam Iron – steaming iron without heating element.	
010002	Equipped for steam hoses, steam trap. No possible to suspense iron. Price: 480 €	
01404kpl	Smartlemm –Double fuction ligh iron. Can works with Teflon sole or with brush. Perfect to iron curtains connected to ALUX steam generators	
	Price: On demand	
01400k	Steam brush Speedy – it is like a classic. Electric stam brush for coats.	
	Price: 185 €	
01372kpl	FR1 Iron – Light iron in type like Hand Finisher. Perfect for la Automotive in connection with steam generator WA-44, and steam heater WA-60	
	Price: On demand	

2. SEMI-PROFESSIONAL IRONING TABLES

80006	WA-6 (vacuum)	450,00€	
80006N	WA-6N (vacuum, blowing)	510,00€	
80006W	WA-6w (vacuum + steam generator 2,5L)	770,00€	
80006R	WA-6R (vacuum, gas spring – easy folding and unfolding of the table)	520,00€	
80006NW	WA-6Nw (vacuum, blowing + steam generator 2,5L)	850,00€	
80006RW	WA-6NRw (vacuum, + steam generator 2,5L) Gas spring	850,00€	



Available types of boards



Ironing table – standard equipment

- Air vacuum
- Air Vacuum, blowing version 80006N and 80006NW
- Fan motor power 75 W
- Heating board with temperature regulation 30-90 °C
- Board heating power 600 W
- Electric power: 230V/50Hz
- Weight: 23Kg (without steam generator, without ironing form)
- Dimensions of table ready to work 135 x 40 x 85 cm

The new type WA-6R ironing table features vacuum, a heated table surface (temperature regulation from 30-90°C), a shelf under the table, a cable holder, adjustable height, and a foldable base with wheels for easy movement.



Steam station:

- Max working pressure: 2,5 bar
- Heating elements: 1,5 kW
- Boiler capacity 2,5 L
- Solenoid valve with regulation: 1 pcs
- Electro-steam iron 800W

Additional equipment

80029	Ironing form with connection	140€	
01265A	Electric Steam Iron AX250 (Cork Handle) Weight 1,75kg. power: 800W	85€	
05544	Teflon sole plate for iron	12,80 €	
71326A	Base (Holder) for Mounting the Ola and Mila Steam Generators to WA-6, WA-7 (instead of the Iron Rest Shelf)		

80007w/2,5	WA-7w/2,5L (vacuum+ steam generator 2,5L)	855,00 €	
80007Cw/2,5	WA-7Nw/2,5L (vacuum+blowing+steam generator 2,5L)	965,00 €	



Dostępne blaty



"The photo shows the device along with accessories which are sels separately."

Ironing Table with Vacuum (WA-7w) and with Vacuum and Blowing in Version (WA-7Nw)

Equipped with a heated table surface (temperature regulation from 30-90°C), a material shelf, cable holder, iron rest, and a foldable base. The perforated table surface is made of aluminum sheet covered with a special 3D material for better steam distribution and improved vacuum-blowing efficiency. The set includes the MILA 2.5L steam generator with a stainless steel boiler, equipped with a solenoid valve for steam quantity regulation, a safety thermostat in case of lack of water in the boiler, and an audible alarm and indicator light signaling water shortage.

The sleeve board with vacuum and 100W electric heating, as well as the electric steam iron, are optional and should be ordered separately. Ideal for small tailor shops, tailoring service points, pattern rooms, and small laundry service points. Adjustable height from 83 to 93 cm. Manufacturer – ALUX

The table set with the Mila steam generator includes a base for the generator (the iron rests on the generator).

Technical specifications:

- Power supply: 230 V / 50 Hz
- Table heating element power: 600 W
- Steam generator heating element power: 1500 W
- WA-7w fan power: 130 W
- WA-7Nw fan power: 130 W + 75 W
- Total power WA-7w/2.5: 2230 W
- Total power WA-7Nw/2.5: 2350 W
- Weight: WA-7w/2.5: 39 kg
- Weight: WA-7Nw/2.5: 42 kg
- Table dimensions ready for use: 145 x 40 x 85 cm


ADDITIONAL EQUIPMENT

80029	Ironing form with connection	140€	
01265A	Electric Steam Iron AX250 (Cork Handle) Weight 1,75kg. power: 800W	85€	
05544	Teflon sole plate for iron	12,80 €	
71326A	Base (Holder) for Mounting the Ola and Mila Steam Generators to WA-6, WA-7 (instead of the Iron Rest Shelf)		

80007w/5,0	WA-7w/5.0 (vacuum+ steam generator 5,0L.)	1020,00 €	
80007Cw/5,0	WA-7Nw/5.0 (vacuum+blowing+steam generator 5L)	1180,00 €	



Dostępne blaty



"The photo shows the device along with accessories which are sels separately."

Ironing table with vacuum (WA-7w) and with vacuum and blowing in the version (WA-7Nw), equipped with a heated table surface (temperature regulation from 30-90°C). It features a shelf under the table, a cable holder, an iron rest, and a foldable base. The perforated plate on the surface is made of aluminum sheet covered with a special 3D material for better steam distribution and vacuum-blowing efficiency. The set includes the OLA 5L steam generator with a stainless steel boiler equipped with a solenoid valve for steam quantity regulation, a safety thermostat in case of lack of water in the boiler, sound alarm, and water shortage indicator. The sleeve board with vacuum and 100W electric heating, as well as the electric steam iron, are optional and should be ordered separately. Ideal for small tailor shops, tailoring service points, pattern rooms, and small laundry service points. Adjustable height from 83 to 93 cm. Manufacturer - ALUX. The table set with the Ola steam generator includes a base for the generator (the iron rests on the generator).

Technical specifications:

- Table heating element power: 600 W
- Steam generator heating element power: 1500 W
- WA-7w fan power: 130 W
- WA-7Nw fan power: 130 W + 75 W
- Total power WA-7w/5: 2230 W
- Total power WA-7Nw/5: 2305 W
- Weight: WA-7w: 42 kg
- Weight: WA-7Nw: 45 kg
- Table dimensions ready for use: 145 x 40 x 85 cm
 - Table dimensions ready for use with sleeve board: 145 x 55 x 85 cm

	ADDITIONAL EQUIPMENT		
80029	Ironing form with connection	140€	
01265A	Electric Steam Iron AX250 (Cork Handle) Weight 1,75kg. power: 800W	85€	
05544	Teflon sole plate for iron	12,80€	
71326A	Base (Holder) for Mounting the Ola and Mila Steam Generators to WA-6, WA-7 (instead of the Iron Rest Shelf)		



80007	WA-7 (vacuum)	515€	
80007C	WA-7N (vacuum+blowing)	655 €	



Dostepne blaty

1200

"The photo shows the device along with

accessories which are sels separately."

Equipped with a heated table surface (temperature regulation from 30-90°C). It includes a material shelf, cable holder, iron rest, and a foldable base. The perforated table surface is made of aluminum sheet covered with a special 3D fabric for better steam distribution and improved vacuum-blowing

efficiency. The sleeve board with vacuum and 100W electric heating, as well as the electric steam iron, are optional and should be ordered separately.

Ironing Table with Vacuum (WA-7) and with Vacuum and Blowing in Version

Ideal for small tailor shops, pattern rooms, and small laundry service points.

Manufacturer - ALUX

(WA-7N).

Technical Specifications:

- Power supply: 230 V / 50 Hz
- Table heating element power: 600 W
- Fan power (WA-7): 130 W
- Fan power (WA-7N): 130 W + 75 W
- Weight (WA-7): 30 kg
- Weight (WA-7N): 35 kg
- Table dimensions ready for use: 140 x 40 x 88 cm

	ADDITIONAL EQUIPMENT		
80029	Ironing form with connection	140€	
01265A	Electric Steam Iron AX250 (Cork Handle) Weight 1,75kg. power: 800W	85€	
05544	Teflon sole plate for iron	12,80€	
71326A	Base (Holder) for Mounting the Ola and Mila Steam Generators to WA-6, WA-7 (instead of the Iron Rest Shelf)		



80007A	WA-7/1 (vacuum)	595,00 €	
80007B	WA-7/1N (vacuum+blowing)	695,00 €	



Dostępne blaty



"The photo shows the device along with accessories which are sels separately."

Ironing Table with Rectangular Surface (120x60cm) with Vacuum (WA-7/1) and with Vacuum and Blowing (WA-7/1N)**

Equipped with a heated table surface (temperature regulation from 30-90°C), a cable holder, an iron rest, and a foldable base. The perforated plate on the table surface is made of aluminum sheet covered with a special 3D material for better steam distribution and improved vacuum-blowing efficiency. The sleeve board with vacuum and 100W electric heating, as well as the electric steam iron, are optional and should be ordered separately. Ideal for small tailor shops, pattern rooms, and small laundry service points. Adjustable height from 85 to 93 cm.

Manufacturer - ALUX

Technical specifications:

- Power supply: 230 V/50 Hz
- Heating element power: 1000 W
- WA-7/1 fan power: 2 x 75 W
- WA-7/1N fan power: 130 W + 75 W
- Weight WA-7/1: 38 kg
- Weight WA-7/1N: 42 kg
- Table dimensions ready for use: 140x60x85 cm


	ADDITIONAL EQUIPMENT		
80029	Ironing form with connection	140€	
01265A	Electric steam Iron AX250 (cork handle) weight 1,75kg. Moc 800W	85€	
05544	Teflon sole plate for iron	12,80€	
71326A	Base (Holder) for Mounting the Ola and Mila Steam Generators to WA-6, WA-7 (instead of the Iron Rest Shelf)		



80007AW/2,5	WA-7/1w/2,5 (vacuum+ steam generator 2,5L)	940,00 €	
80007BW/2,5	WA-7/1Nw/2,5 (vacuum+blowing+steam generator 2,5L)	1040,00€	



Dostępne blaty



"The photo shows the device along with accessories which are sels separately."

Ironing Table with Rectangular Surface (120x60cm) with Vacuum (WA-7/1w) and with Vacuum and Blowing (WA-7/1Nw)

Equipped with a heated table surface (temperature regulation from 30-90°C), a cable holder, an iron rest, and a foldable base. The perforated plate on the table surface is made of aluminum sheet covered with a special 3D material for better steam distribution and improved vacuumblowing efficiency. The set includes the MILA 2.5L steam generator with a stainless steel boiler equipped with a solenoid valve for steam quantity regulation, a safety thermostat in case of lack of water in the boiler, sound alarm, and water shortage indicator.

The sleeve board with vacuum and 100W electric heating, as well as the electric steam iron, are optional and should be ordered separately. The table is an ideal solution for small tailor shops, tailoring service points, pattern rooms, and small laundry service points. Manufacturer – ALUX

Technical Specifications:

- Heating element power: 1000 W
- Steam generator heating element power: 1500 W
- WA-7/1 fan power: 2 x 75 W
- WA-7/1N fan power: 130 W + 75 W
- Total power WA-7/1w/2.5: 1730 W
- Total power WA-7/1Nw/2.5: 1805 W
- Weight: 45 kg
- Power supply: 230 V / 50 Hz
- Table dimensions ready for use: 140 x 60 x 85 cm

	ADDITIONAL EQUIPMENT		
80029	Ironing form with connection	140€	
01265A	Electric steam Iron AX250 (cork handle) weight 1,75kg. Moc 800W	85€	
05544	Teflon sole plate for iron	12,80 €	
71326A	Base (Holder) for Mounting the Ola and Mila Steam Generators to WA-6, WA-7 (instead of the Iron Rest Shelf)		

80007AW/5,0	WA-7/1w/5 (vacuum+ steam generator 2,5L)	1 050,00 €	
80007BW/5,0	WA-7/1Nw/5 (vacuum+blowing+steam generator 2,5L)	1 150,00 €	



Do zmiany zdjęcie

Ironing table with a rectangular surface measuring 120x60cm with vacuum (WA-7/1w) and with vacuum and blowing in the version (WA-7/1W), equipped with a heated table surface (temperature regulation from 30-90°C). It features a cable holder, an iron rest, and a foldable base. The perforated plate on the table surface is made of aluminum sheet covered with a special 3D material for better steam distribution and vacuum-blowing efficiency. The set includes the OLA 5L steam generator with a stainless steel boiler equipped with a solenoid valve for steam quantity regulation, a safety thermostat in case of lack of water in the boiler, a water level indicator for water quantity control, sound alarm, and water shortage indicator.

The sleeve board with vacuum and 100W electric heating, as well as the electric steam iron, are optional and should be ordered separately. The table is an ideal solution for small tailor shops, tailoring service points, pattern rooms, and small laundry service points. Manufacturer - ALUX

Technical Specifications:

- Heating element power for the table: 1000 W
- Heating element power for the steam generator: 2000 W
- Fan power for WA-7/1: 2 x 75 W
- Fan power for WA-7/1N: 130 W + 75 W
 - Total power for WA-7/1w/5: 3150 W
- Total power for WA-7/1Nw/5: 3205 W
- Weight for WA-7/1w/5: 56 kg

•

- Weight for WA-7/1Nw/5: 59 kg
- Power supply: 230 V/50 Hz
- Dimensions of the table ready for use: 145x60x85 cm

	Additional equipment		
80029	Ironing form with connection	140€	
01265A	Electric Steam Iron AX250 (Cork Handle) Weight 1,75kg. power: 800W	85,00€	
05544	Teflon sole plate for iron	12,80€	
71326A	Base (Holder) for Mounting the Ola and Mila Steam Generators to WA-6, WA-7 (instead of the Iron Rest Shelf)		

ALUX

8000V	Economic Dry (vacuum)	79	90,00€	
8000VN	Economic N Dry (vacuum,	, blowing) 94	40,00€	
		 Ironing table – standard equipment vacuum (Economic) vacuum, blowing (Economic N) heated board with temperature regulation 30 board heating power 600 W spring suspension for electric cable and stea fan motor power: 130 W (Economic Dry) fan motor power: 130 W + 75 W (Economic electric power: 230V/50Hz electric iron is not included 	am hose.	
	Available types of boards			
	1200	Additional equipment		
80029A	1200	Additional equipment	165,00 €	
80029A 01265A			165,00 € 85,00 €	
	Ironing form with connection			
)1265A	Ironing form with connection Electric Steam Iron AX250 (Cork Handle) W		85,00 €	
01265A 05544	Ironing form with connection Electric Steam Iron AX250 (Cork Handle) W Teflon sole plate for iron		85,00 € 12,80 €	



80001ECO	Ecomatic (vacuum + boiler built-in + iron) 1690,00 €	
80001N-ECO	Ecomatic N (vacuum, blowing + boiler built-in + iron) 1890,00 €	
	 Ironing table – standard equipment vacuum vacuum, blowing (Ecomatic N) heated board with temperature regulation 30-90 °C board heating power 600 W ironing form with connection WA-101 spring suspension for electric cable and steam hose. boiler built-in – 5 lt (INOX) electro-steam output x 1 boiler heating elements 2.0 kW fan motor power: 130 W fan motor power: 130 W + 75 W 	
Availab کې	 pump power (electromagnetic): 47 W electric power: 230V/50Hz or 400 V / 50 Hz 	
_	 pump power (electromagnetic): 47 W electric power: 230V/50Hz or 400 V / 50 Hz 	
69 	 pump power (electromagnetic): 47 W electric power: 230V/50Hz or 400 V / 50 Hz 	
Soo29A Ironing	 pump power (electromagnetic): 47 W electric power: 230V/50Hz or 400 V / 50 Hz Additional equipment 	
SO029A Ironing D1265A Electric	 Pump power (electromagnetic): 47 W electric power: 230V/50Hz or 400 V / 50 Hz Additional equipment 	
0029A Ironing 1265A Electric	Ie types of boards • pump power (electromagnetic): 47 W 1200 • electric power: 230V/50Hz or 400 V / 50 Hz Additional equipment Additional equipment form with connection 165,00 € Steam Iron AX250 (Cork Handle) Weight 1,75kg. power: 800W 85,00 € sole plate for iron 12,80 €	
1265A Flectric 15544 Teflon s 10052B Air out t	Ie types of boards • pump power (electromagnetic): 47 W 1200 • electric power: 230V/50Hz or 400 V / 50 Hz Additional equipment Additional equipment form with connection 165,00 € Steam Iron AX250 (Cork Handle) Weight 1,75kg. power: 800W 85,00 € sole plate for iron 12,80 €	



80080A

Height regulation (85 - 95 cm)

170,00€

3. PROFESSIONAL IRONING TABLES

80001	WA-1 (vacuum)		890,00€		
 Ironing table WA-1 with strong suction, heated surface (temperature regulation from 30-90°C), and switching between suction and ironing modes. The perforated plate on the surface is made of aluminum sheet covered with aluminum mesh for better steam distribution and suction efficiency. It features stepwise height adjustment from 80 to 95 cm (every 9 cm), an iron rest, a cable holder, and a material shelf. The device is compatible with mounting any Alux ironing form. Sleeve board with suction and 100W electric heating, as well as other forms, must be ordered separately. Manufacturer - ALUX Technical specifications: Heating element power: 600 W Fan power: 370 W Power supply: 230 V / 50 Hz or 400 V / 50 Hz Weight: 54 kg Dimensions of the table ready for use: 140x40x90 cm 					
		Additional equipment			
80021	Ironing form		130,00 €		
80081BN	Connection 500 mm for iron	ng form (forms to choose on pages 45-49) (instead of 80021A)	120,00€		
80051	Air blow-out tunnel		150,00€		
80066	Lighting (requires 80051 or	80061)	145,00 €		
80060	Iron suspension (needed 80	0051 or 80061)	170,00€		




80005A WA-5 (vacuum) 80005B WA-5 (vacuum)		930,00€	
	Ironing table WA-5 – standard equipment air vacuum heated board with temperature reg spring suspension for electric cable fan motor power 550 W board heating power: 1000 W electric power: 230 V / 50 Hz or 40 80005A – board A 80005B – board B	e and steam hos	
	Additional action and		
80021 Ironing form	Additional equipment	130,00 €	
	m (forms to choose on pages 45-49) (instead of 80021A)	120,00€	
80051 Air blow-out tunnel		150,00 €	
80066 Lighting (requires 80051 or 80061)	145,00 €	
80060 Iron suspension (needed 80051)		170,00€	
80080A Height regulation (85 – 95 cm)		175,00 €	




WA-3V (vacuum + blowing) Board A WA-3V (vacuum + blowing) Board B 2070,00€



Available types of boards



Board direction



Ironing table WA-3 – standard equipment

- air vacuum and blowing
- heated board with temperature regulation 30-90 °C
- automatic switching-over vacuum/blowing board/ironing form
- perforated plate on the table top made of aluminum sheet with aluminum mesh for better steam distribution and vacuum – blowing efficiency
- standard version includes manual height regulation of the table top- possible height 82-92 cm.
- regulated base for iron
- spring suspension for electric cable and steam hose.
- possibility to install two ironing forms
- possibility of transfer of the pedals to the other side.
- funnel with electrical control
- metal shelf located under board
- fan motor power 550 W
- board heating power: 1000 W
- electric power: 230 V / 50 Hz or 400 V / 50 Hz
- Regulation of height (85 95 cm)

By means of exhaust air chimney (optional), it is possible to regulate vacuum/ blow.

80003VA – board A 80003VB – board B

	Additional equipment		
80021A1	Ironing form with connection for WA-3V (aluminium)	390,00 €	
80021A1N	Ironing form with connection for WA-3V (steel) (instead of 80021A1)	290,00 €	
80066	Lighting	145,00 €	
80060	Iron suspension (needed 80051 or 80061)	170,00 €	
80051	Air funnel	150,00 €	
80088	Arm to ironing hanging clothes	88,00 €	
80038	Spotting arm – form for cold cleaning	280,00 €	
80542	Finishing gun kit	242,00 €	



80002A* 80002B** 80002C***	WA-2 (vacuum)		1060,00 €	
80002w	WA-2w (vacuum + boiler built	-in)	2080,00 €	
		 Ironing table WA-2 – standard equip air vacuum heated board with temperature spring suspension for electric fan motor power 550 W board heating power: 1000 W electric power: 230 V / 50 Hz of WA-2w – boiler specification boiler capacity: 6 L (INOX) pump motor power: 370 W heating elements of boilers: 30 maximum working pressure: 3 electro-steam output x 1 	e regulation 30-90 ° cable and steam ho or 400 V / 50 Hz 000 W	
8 A	Available types of boards	80002A – board A 80002B – board B 80002C – board C		
		Additional equipment		
80081BN	Connection 500 mm for ironing form		120,00 €	
80081BN 80081CN	Connection 500 mm for ironing form Connection 600 mm for Ironing form		120,00 € 130,00 €	
80081CN				
80081CN 80081DN	Connection 600 mm for Ironing form		130,00€	
80081CN 80081DN 80052	Connection 600 mm for Ironing form Connection 800 mm for Ironing form		130,00 € 150,00 €	
80081CN 80081DN 80052 80052A	Connection 600 mm for Ironing form Connection 800 mm for Ironing form Right side air blow-out tunnel		130,00 € 150,00 € 220,00 €	
80081CN 80081DN 80052 80052A 80066	Connection 600 mm for Ironing form Connection 800 mm for Ironing form Right side air blow-out tunnel Rear air blow-out tunnel		130,00 € 150,00 € 220,00 € 220,00 €	
	Connection 600 mm for Ironing form Connection 800 mm for Ironing form Right side air blow-out tunnel Rear air blow-out tunnel Lighting (needs 80052)		130,00 € 150,00 € 220,00 € 220,00 € 145,00 €	
80081CN 80081DN 80052 80052A 80066 80066B	Connection 600 mm for Ironing form Connection 800 mm for Ironing form Right side air blow-out tunnel Rear air blow-out tunnel Lighting (needs 80052) Lighting (needs 80052A)		130,00 € 150,00 € 220,00 € 220,00 € 145,00 € 145,00 €	




80004w WA-4w (vacuum + blowing + boiler built-in) 3100,00 € Ironing table WA-4 - standard equipment air vacuum and blowing heated board with temperature regulation 30-90 spring suspension for electric cable and steam h fan motor power 550 W board heating power: 1000 W electric power: 230 V / 50 Hz or 400 V / 50 Hz	0€ □
 air vacuum and blowing heated board with temperature regulation 30-90 spring suspension for electric cable and steam h fan motor power 550 W board heating power: 1000 W 	
WA-4w – boiler specification • boiler capacity: 6 L (INOX) • pump motor power: 370 W • boiler heating elements: 3000 W • maximum working pressure: 3,5 bar • electro-steam output x 1	steam hose.
A B C B C B C B C B C C B C C C C C C C	
A B C B B <td></td>	
8004C - board C $A = B + C$	
$\begin{array}{c c} & & & \\ \hline \hline & & \\ \hline \hline & & \\ \hline & & \\ \hline & & \\ \hline \hline & & \\ \hline \hline \\ \hline & & \\ \hline \hline \\ \hline & & \\ \hline \hline & & \\ \hline \hline \\ \hline & & \\ \hline \hline \hline \\ \hline \hline \hline \\ \hline \hline \hline \\ \hline \hline \hline \hline \\ \hline \hline \hline \hline \hline \hline \\ \hline \hline$	
Image: A for a state of the	
Image: A and B and C and CB0004C - board CA and B and C an	
ABCB0004C - board CABCAdditional equipmentAdditional equipmentAdditional equipment $80081BN$ Connection 500 mm for ironing form120,00 € $80081CN$ Connection 600 mm for Ironing form130,00 € $80081DN$ Connection 800 mm for Ironing form150,00 € 80052 Right side air blow-out tunnel220,00 € $80052A$ Rear air blow-out tunnel220,00 €	
A B C 80004C - board C A B C A B C A A B C A A B C A A B C B B A C B B B C A B B C A B B C C A B C A A B C C A B C C A B C C A B C C A B C C A B C C A B C C A B C C A B C C A B C C A B C C A B C C A <td< td=""><td></td></td<>	
ABCABCBBCBBCAdditional equipment120,00 €BConnection 500 mm for ironing form120,00 €BConnection 600 mm for Ironing form130,00 €BConnection 600 mm for Ironing form150,00 €BConnection 800 mm for Ironing form220,00 €BRear air blow-out tunnel220,00 €BLighting (needs 80052)145,00 €BLighting (needs 80052A)145,00 €	
A B	

80008* **WA-8** (vacuum + boiler built-in)

2690,00€





Ironing table – standard version

- air vacuum
- boiler built-in 7.2 lt (INOX)
- heated board with temperature regulation 30-90 °C
- board heating power 1000 W with regulation
 - spring suspension for electric cable and steam hose
- automatic switching-over vacuum board/ironing form (pneumatic or electric)
- regulated base for iron
- arm for ironing hanging cloths
- spring suspension for electric cable and steam hose.
- metal shelf located under board
 - electro-steam output x 1
 - boiler heating elements 3000 W or 4200 W
- fan motor power 550 W
- working steam pressure 4,5 bar
- pump power 500 W.
- electric power: 230 V / 50 Hz or 400 V / 50 Hz
- required air pressure 6-10 bar (pneumatic version)


80008 – board A 80008B – board B

	Additional equipment		
80021A	Ironing WA-101 form with connection (aluminium)	378,00€	
80021AN	Ironing WA-101 form with connection (steel) (instead of 80021A)	270,00€	
80066	Lighting	145,00€	
80060	Iron suspension	170,00€	
01200kpl	Electro-steam iron	195,00€	
01276K	Electro-steam iron T3 – Premium	225,50€	
01327	All Steam iron	470,00€	
01520	Air-steam gun (needs 80048)	95,00€	
80049	Additional electro-steam output	136,00€	
80048	Air - steam output for gun	180,00€	
01400K	Electro-steam brush (needs 80049)	185,00€	
80542	Finishing gun kit (spotting gun with equipment)	265,00€	
70064	Water tank 17 L made of inox	230,00€	
80088	Arm to ironing hanging cloths	90,00€	
80038	Form for cold cleaning	280,00€	
80079C	Regulation of height	190,00€	
80072	Double side switch pedals	170,00€	
01506A	Water spray gun kit	130,00€	
60005A	Iron cables cover	24,00€	



	Additional equipment		
80059	Rotating, adjustable iron support	180,00€	
	Teflon shoe	12,80 €	





80021A	Ironing form with connection	380,00€	
80021AN	Ironing WA-101 form with connection (steel) (instead of 80021A)	270,00€	
80066	Lighting	145,00 €	
80060	Iron suspension	170,00€	
01200kpl	Electro-steam iron	195,00€	
01276K	Electro-steam iron T3 – Premium	225,50 €	
01327	All Steam iron	470,00€	
01520	Air-steam gun (needs 80048)	95,00€	
80049	Additional electro-steam output	136,00€	
80048	Air - steam output for gun	180,00€	
01400K	Electro-steam brush (needs 80049)	185,00 €	
80542	Finishing gun kit (spotting gun with equipment)	265,00€	
70064	Water tank 17 L made of inox	230,00€	
80088	Arm to ironing hanging cloths	90,00€	
80038	Form for cold cleaning	280,00€	
80079C	Regulation of height	190,00€	
80072	Double side switch pedals	170,00€	
01506A	Water spray gun kit	130,00 €	
60005A	Iron cables cover	24,00 €	



	Additional equipment		
80059	Rotating, adjustable iron support	180,00 €	
	Teflon shoe	12,80 €	


80010E WA-17

WA-17 (vacuum + blowing + boiler built-in)

4450 €



"The photo shows the device along with accessories which are sels separately."



Suction and Air Blowing: Equipped with both suction and air blowing functionalities.

Built-in Automatic Steam Generator: Includes an integrated steam generator.

Heated Tabletop: Adjustable temperature control ranging from 30°C to 90°C.

Automatic Switching: Automatic switching between suction/blowing and from the table to the pressing form.

Perforated Plate: The tabletop features a perforated plate covered with an aluminum mesh for better steam distribution and suction efficiency.

Cable Holder: Includes a holder for suspending cables to keep the workspace tidy.

Integrated Lighting: Built-in lighting for better visibility and working conditions.

Metal Shelf: Comes with a metal shelf for storing materials, making it easier to manage your work.

Photoelectric Sensor: Standard control of suction via a photoelectric sensor.

Suction/Blowing Regulation: Adjustable suction and blowing functions.

Iron Cable Holders: Equipped with holders for iron cables.

- **Technical Specifications:**
- Heating element power: 1000 W
- Fan power: 550 W

•

- Power supply: 230 V / 50 Hz or 400 V / 50 Hz
- Boiler capacity: 7.2 L
- Centrifugal pump power: 500 W
- Boiler heating elements power: 3000 W or 4200 W
- Maximum operating steam pressure: 4.5 bar
- Single electrical-steam outlet
- Required air pressure: 6-10 bar


Additional equipment			
80021A	Ironing form with connection	380,00€	
80060	Iron suspension (only with electric iron)	170,00€	
80049	Additional electro - steam output	140,00€	
01400K	Speedy Iron brush (needs 80049)	185,00 €	
80048	Air - steam output for gun	180,00€	
01520	Air-steam gun (needs 80048)	98,00€	
80542	Finishing gun kit (spotting gun with equipment)	245,00€	
70046	Water tank 17 L made of inox	230,00€	
80088	Arm for ironing hanging cloths	90,00€	
80038	Form for cold cleaning	280,00€	
80080B	Electric regulation of height – very easy to use	580,00€	
80620	Side covers	220,00€	
80071	Double side switch pedals and photocell	230,00 €	
80059	Rotating, adjustable iron support	180,00€	
01260A	Jolly Iron - complete	195,00 €	
01327	Jolly Electronic temperaturę setting	480,00€	
01327	All Steam Iron	480,00€	

80009	WA-9 (vacuum, upsteaming, external steam source)	2900,00 €	
80009W	WA-9w (vacuum, upsteaming boiler built-in)	3970,00€	
80009N	WA-9N (vacuum, blowing, upsteaming, external steam source)	3970,00€	
80009NW	WA-9Nw (vacuum, blowing, upsteaming, boiler built-in)	4850,00 €	



Version with lighting without cover

Available types of boards



Ironing table – standard version

- air vacuum and blowing: WA-9N, WA-9Nw
- air vacuum: WA-9, WA-9w
- Upsteaming ALL VERSIONS
- boiler built-in 8 lt (INOX): WA-9Nw, WA-9w
- heated board by the steam
- spring suspension for electric cable and steam hose
- automatic switching-over vacuum board/ironing form (pneumatic or electric)
- regulated base for iron
- metal shelf located under board
- electro-steam output x 1
- boiler heating elements 6000 W or 8400 W
- fan motor power 550 W
- working steam pressure 4,5 bar
- pump power 500 W (only version with boiler built-in)
- electric power: 230 V / 50 Hz or 400 V / 50 Hz
- required air pressure 6-10 bar
- board height: 90 cm



Version with covered light and with side covers

Additional equipment				
80021A	Ironing form with connection	380,00 €		
80066	Lighting	170,00€		
80067C	Built-in lighting for WA-9 tables	320,00€		
80060	Iron suspension (only with electric iron)	170,00€		
80049	Additional electro - steam output	140,00 €		
01400K	Speedy Iron brush (needs 80049)	185,00 €		
80048	Air - steam output for gun	180,00 €		
01520	Air-steam gun (needs 80048)	98,00€		
80542	Finishing gun kit (spotting gun with equipment)	245€		
70046	Water tank 17 L made of inox	230€		
80088	Arm for ironing hanging cloths	90€		
80038	Form for cold cleaning	280€		
80059	Rotating, adjustable iron support	180€		
80620	Side covers	220 €		



Price list valid from 01.05.2024

43-365 Wilkowice, ul. Furmaniec 4 tel. 33 816 10 20, tel./fax 33 818 93 66 www.alux.pl, email: alux@alux.pl

	Additional equipment		
80072C	Double side switch pedals (80009N i 80009Nw)	230€	
01260A	Jolly Iron - complete	195€	
01327	Jolly Electronic temperaturę setting	480€	
01327	All Steam Iron	480€	



	4. UPSTEAMING MACHINES		
	WA-12 (vacuum, up steaming, external steam source)		
80012S	 blat A (1800 x 900mm) 	3890,00 €	
80012SB	• blat B (2000 x 900mm)	4190,00 €	
80012SC	• blat C (2000 x 1000mm)	4290,00 €	



Available types of boards

8

900

2000

в

20

800

Ε

1000

D

1800

Α

2000

С

Table with up steaming function

The rectangular steam ironing table has been specially conceived for stabilization of knitwear and clothes that may not be ironed on press or with iron. The uniform steam inflow, heated up plate, vacuum on entire surface assure an excellent stabilization of articles. The table is simple to use: by means of two foot pedals, placed in a table base. The inclination of ironing board makes the positioning of articles easier and reduces operator's effort.

The device is equipped with operating mode switch: manual/ semi manual operating mode (there is possibility to set up vacuum and steaming time parameters).

Perfect distribution of steam in the up steaming board

- Power supply: 230 V / 50 Hz lub 400 V / 50 Hz
- Fan motor power: 370 W
- Working pressure: 4,5 bar

	Additional equipment		
80047A	Electro-steam output for iron	230€	
	Steam trap	on demand	



	WA-12w (vacuum, up steaming boiler built-in)		-
80012W	 Board A (1800 x 900mm, boiler 21 L, heating power 12–15 kW) 	6200,00€	
80012WB	 Board B (2000 x 900mm, boiler 21 L, heating power 12–15 kW) 	6500,00€	
80012WC	 Board C (2000 x 1000mm, boiler 21 L, heating power 15–18 kW) 	6800,00€	



Available types of boards

900

900

2000

В

700

800

Е

1000

D

1800

Α

2000

С

000

Table with evaporation

The rectangular steam ironing table has been specially conceived for stabilization of knitwear and clothes that may not be ironed on press or with iron. The uniform steam inflow, heated up plate, vacuum on entire surface assure an excellent stabilization of articles. The table is simple to use: by means of two foot pedals placed in a table base. The inclination of ironing board makes the positioning of articles easier and reduces operator's effort.

The device is equipped with operating mode switch: manual/ semi manual operating mode (there is possibility to set up vacuum and steaming time parameters).

- Power supply: 230 V / 50 Hz lub 400 V / 50 Hz
- Fan motor power: 370 W
- Pump power: 500 W
- Working pressure: 4,5 bar
- Heating elements:

Additional options

- 0 8.4 / 12 / 15 / 18 kW
- Boiler capacity 9.8 / 15 / 21 L



80047A

Electro-steam output for iron

220€

80019	WA-30/1 (vacuum, up steaming boiler built-in)	2830,00€	
80019BW	WA-30/1 BW (vacuum, up steaming, external steam source)	2160,00€	



Customised types of forms



Special- purpose machine with output for one (1) up steaming form.

Perfect distribution of the steam. Machine is conceived for hats, berets, hats stabilization. The device equipped with ironing form vacuum, heating and steaming and manufactured with built-in steam generator or with connection to an external steam source. The special - purpose machine can work with different shapes and sizes of customized forms, manufactured on individual demand. Stabilization forms are heated electrically. The steam boiler is made of a stainless steel.

Special – purpose machine with output for one (1) form

- Power supply: 230 V / 50 Hz lub 400 V / 50 Hz
- Fan motor power: 180 W
- Heating power on form 600 W
- Working pressure: 4,5 bar
- Pump power: 500 W (Wa-30/1)
- Heating element in boiler 4200 W (Wa-30/1)
- Boiler capacity: 7,2 L

	Additional options		
Prices of form (depends of shape ar	nd dimension)	from 280 € /pcs.	

WA-20/

ALUX

Customised types of forms

80019A	WA-30/2 (vacuum, up steaming boiler built-in)		3100,00 €	
80019ABW	WA-30/2 BW (vacuum	2430,00€		
	ח	Special - purpose machine with output forms. Perfect distribution of the steam. Machine berets, hats stabilization. The device equit	is conceived for hats	S,

berets, hats stabilization. The device equipped with ironing form vacuum, heating and steaming and manufactured with built-in steam generator or with connection to an external steam source. The special - purpose machine can work with different shapes and sizes of customized forms, manufactured on individual demand. Stabilization forms are heated electrically.

The steam boiler is made of a stainless steel.

- Connection for form 2 outputs
- Power supply: 230 V / 50 Hz lub 400 V / 50 Hz
- Fan motor power: 2 x 180 W
- Heating power on form 2 x 600 W
- Working preasure: 4,5 bar
- Pump power: 500 W (Wa-30/1)
- Heating element in boiler 4200 W (Wa-30/1)
- Boiler capacity: 7,2 L

Additional options

Customized forms (depend of shape and dimension)

from 280 € /pcs




5. IRONING TABLES FOR CURTAINS

	WA-2/1 (vacuum) 600mm		
80002/1A	 blat A (1600 x 600 mm) 	1 400,00 €	
80002/1B	 blat B (1800 x 600 mm) 	1 550,00 €	
80002/1C	• blat C (2000 x 600 mm)	1 600,00 €	
80002/1E	• blat E (2500 x 600 mm)	2 250,00 €	
80002/1F	• blat F (3000 x 600 mm)	2 600,00 €	



Availabe boards



Ironing table - standard equipment

- air vacuum
- board temperature regulation
- heated board with temperature regulation 30-90 °C
- pockets for fabric from the front and rear

For tables with E or F board we recommend installing WA-60 steam heater (as additional equipment) for better steam performances. **Producent – ALUX**

Technical Specifications

- Power Supply: 230 V / 50 Hz or 400 V / 50 Hz
- Heating Element Power: A, B, C: 2 x 1000 W
 E, F: 3 x 1000 W
- Fan Power: A, B, C: 260 W
 - E: 390 W
 - F: 520 W
- Table Height: 90 cm


	ADDITIONAL EQUIPMENT		
80060A1	Iron suspension for A, B, C version	260,00€	
80060A3	Iron suspension for E, F version	390,00€	
80066A	Ligting (requires iron suspension)	140,00€	
80040	Steam Heater WA-60 – recomend to E,F versions	500,00 €	



	WA-2/1 (vacuum) 600mm – automatic steam generator		
80002/1Aw	 blat A (1600 x 600 mm) + steam generator 	2 450,00 €	
80002/1Bw	 blat B (1800 x 600 mm) + steam generator 	2 550,00 €	
80002/1Cw	 blat C (2000 x 600 mm) + steam generator 	2 600,00 €	
80002/1Ew	 blat E (2500 x 600 mm) + steam generator 	3 250,00 €	
80002/1Fw	 blat F (3000 x 600 mm) + steam generator 	3 600,00 €	



Availabe boards



Ironing table - standard equipment

- air vacuum
- board temperature regulation
- heated board with temperature regulation 30-90 °C
- pockets for fabric from the front and rear

For tables with E or F board we recommend installing WA-60 steam heater (as additional equipment) for better steam performances.

Producent – ALUX

Technical Specifications

- Power Supply: 230 V / 50 Hz or 400 V / 50 Hz
- Heating Element Power: A, B, C: 2 x 1000 W
 E, F: 3 x 1000 W
- Fan Power:
- A, B, C: 260 W E: 390 W F: 520 W
- Table Height: 90 cm

ADDITIONAL EQUIPMENT


80060A1	Iron suspension for A, B, C version	260,00€	
80060A3	Iron suspension for E, F version	390,00€	
80066A	Ligting (requires iron suspension)	140,00 €	
80040	Steam Heater WA-60 – recomend to E,F versions	500,00€	



	WA-2/1 (vacuum) 800mm width		
80002/2A	 blat A (1600 x 800 mm) 	1600 €	
80002/2B	• blat B (1800 x 800 mm)	1700 €	
80002/2C	• blat C (2000 x 800 mm)	1800 €	
80002/2E	• blat E (2500 x 800 mm)	2450 €	
80002/2F	• blat F (3000 x 800 mm)	2750 €	



Availabe boards



Ironing table - standard equipment

- air vacuum
- board temperature regulation
- heated board with temperature regulation 30-90 °C
- pockets for fabric from the front and rear

For tables with E or F board we recommend installing WA-60 steam heater (as additional equipment) for better steam performances.

Producent – ALUX

Technical Specifications

- Power Supply: 230 V / 50 Hz or 400 V / 50 Hz
- Heating Element Power: A, B, C: 2 x 1000 W
 E, F: 3 x 1000 W
- Fan Power:
- A, B, C: 260 W E: 390 W F: 520 W
- Table Height: 90 cm

ADDITIONAL EQUIPMENT

80060A1	Iron suspension for A, B, C version	260,00€	
80060A3	Iron suspension for E, F version	390,00€	
80066A	Ligting (requires iron suspension)	140,00 €	
80040	Steam Heater WA-60 – recomend to E,F versions	500,00€	

80040

Steam heater WA-60

500€

80002/18	WA-18 (vacuum + conveyor b	elt)	8200,00€	
80002/18N	WA-18N (vacuum + blowing c	onveyor belt)	8800,00€	
		 Special - purpose ironing table, with board, conceived for ironing of curtation with temperature control (from 30° C fabric sliding forwards or backwards The presence of adjustable pockets table facilitates the folding of ironed. The WA-18 special –purpose table of steam generator and with each elected. Due to the length of steam hose (be we recommend using the steam heat for better steam performances. Power supply: 230 V / 50 Hz Heating elements: 3000 W Motor fan power: WA-18N: 6 x 130 W Sliding motor power: 370 W Board height: 90 cm 	ins. uipped with vacuum (W (WA-18 N), heated boa – 90° C) and automati situated on both sides of elements. an be matched with ea tro-steam iron. cause of board dimensi iter (as additional equip	/A-18 rd c of ach ons)
80060A4	Iron suspension	Additional options	450€	
80066C	Lighting – needs iron suspension		430 €	
000000			140 8	



6. FORM FINISHER

	WA-35 (blowing, up steaming, boiler built-in)		
80020A	 12 kW / 17,5 L 	5490,00€	
80020B	 15 kW / 17,5 L 	5490,00 €	



Steam form finisher - universal

- Rotating body
- Boiler capacity: 9 L or 17,5 L
- Heating elements: 8kW / 12kW / 15kW
- Fan blower: 750W (1HP)
- Pump motor power: 500 W
- Working pressure: 4,5 bar
- Manual or automatic control with time set-up function
- Power supply: 400 V/ 50 Hz

70040

WA-501 (blowing, up steaming, boiler built in)

Price on demand 

Form Finisher for ironing all types of clothes. Connected to external steam supply. Automatic positioning according with clothes length. Can works in three cycles automatic/semi-automatic/manual

- Power supply: 400 V / 50 Hz
- Fan blower: 1100W
- Steam pressure: 5 6 bar
- Required air pressure: 7 8 bar
- Electric steam heater: 900W



70040

WA-502 (blowing, up- steaming, Boiler built in) price on demand


price on demand 

Form Finisher for ironing all types of clothes. Connected to external steam supply. Automatic positioning according with clothes length. Operating mode selection: automatic/semi-automatic/manual

- Power supply: 400 V / 50 Hz
- Fan blower: 1100W
- Steam pressure: 5 6 bar
- Reguired air pressure: 7 8 bar
- Steam boiler 9 L 12kW
- Electric steam heater 900W



7. FUSING PLATE PRESSES/ FUSING MACHINES FOR TRANSFERS



85010A	WA-14/2 (pneumatic version	n) 3100,00 €	
		 Press for adhesive and thermal transfer printing – pneumatic version. Power supply: 230 V / 50 Hz Heating elements: 1000 W 	
		 Electronic temperature regulation: 30 – 250°C Top plate made of aluminium Required air pressure 8 – 10 bar Automatic opening Two moving plates with silicone padding 	

• Board dimensions 38 x 38 cm



8. SPOTTING EQUIPMENT 80015K WA-15 (vacuum) 1950 € Cold spotting table - standard equipment Air vacuum with mounted carbon filter • Two cold spotting guns hanged on metal arm • Two soap tanks • Spotting arm • Fan power 280W • Board made of INOX • Perfect board draining system • Power supply: 230 V / 50 Hz • Motor fan power:280 W • Available board 1050 215 Additional options

80067	Lighting	107€	
70018B	Automatic steam generator ready to connect air-steam gun	1210€	
70048AS	Steam generator OLA Inox ready to connect air-steam gun	671€	
800456	Air - steam output for gun (external steam supply)	215€	
01520	Air - steam gun	95€	
80130	Pressure soap tank for brush or for soap gun	640€	
01585	Air gun	59€	

ALUX

80015S	WA-15/1 (vacuum)	760,00€	
		 Spotting Form with vacuum. Compact table recomments small dry cleaners shops. Power supply: 230 V / 50 Hz Motor fan power:280 W One cold spotting guns hanged on metal art One soap tank 	
	Available board		
80018	WA-16 (vacuum)	4100€	
		 Spotting cabin WA-16 is produced according with environmental rules in the World. Double carbon filter Top board made of perfect quality INOX Two cold spotting guns Two soap tanks Spotting arm Fan motor power: 2 x 370 W Lighting – led Vacuum steering by pedal or by switch Shelf for Pre-spotters Power supply: 230 V / 50 Hz 	
		Additional options	
80558	Small – additional spotting arm (tw	vo arms) 220,00 €	
70018B	Automatic steam generator ready	- 1210,00 C	
800456	Air - steam output for gun (externa	al steam supply) 260,00 €	
01520	Air-steam gun	105,00 €	
80130	Pressure soap tank for brush or fo	010,000	
01585	Air gun	65,00 €	



9. BAGGING MACHINES 86004 WA-22w (hanging wall mounted model) 1230,00€ 86002 WA-22s (standing model) 1390,00€ **Bagging machine** Heating element: 100W Welding time regulation Cutting elements Welding time: 0 – 10s Max width of foil sleeve: 600mm Max tickness of foil sleeve: 0,05mm Power supply: 230 V / 50 Hz Two models: Hanging / Standing

86006 WA-22p (pneumatic)

2600 €



Bagging machine – pneumatic version with automatic opening flap.

- Heating element: 100W
- Regulation welding time
- Cutting elements
- Welding time: 0 10s
- Max width of foil sleeve: 600mm
- Max tickness of foil sleeve: 0,05mm
- Power supply: 230 V / 50 Hz
- Two type: Hanging / Standing
- Required air pressure 6 8 bar



3050,00€

86001

WA-21 (pneumatic)



The Bagging machine to bagging garment in a foil by pneumatic system. It has welding and cutting elements on both sides (from the top and bottom) and a welding time regulation.

Upper part is equipped with cutting elements and welding elements

Lower part is equipped with welding element. Thanks to height regulation it is possible to change the length of pack

Two sections can work simultaneously or separately.

- Heating element: 2 x 100W
- Regulation welding time
- Cutting elements
- Welding time: 0 10s
- Max width of foil sleeve: 600mm
- Max tickness of foil sleeve: 0,05mm
- Power supply: 230 V / 50 Hz
- Required air pressure 6 8 bar

86018	WA-23/1 (package size 600 x 600 mm)	1590,00€	
86021	WA-23/1 + auxiliary plate (package size 600 x 600 mm)	1790,00€	
86022	WA-23/2 + auxiliary plate (package size 600 x 800 mm)	1890,00€	
86022B	WA-23/2 + auxiliary plate (package size 600 x 1000 mm)	2190,00€	

made of inox.
 Flap is opening automatically after welding time.
 Heating element: 450 W
 Regulation welding time
 Board regulation of height 0-10 cm

- Welding time: 0 20s
- Max width of foil sleeve: 600mm
- Max tickness of foil sleeve: 0,05mm
- Power supply: 230 V / 50 Hz
- Depth adjustment of package 400-600mm (only for versions with auxiliary plate)

Horizontal bagging machine. Board with regulation of height is





	10. STEAM GENERATORS		
	_		
70010A	WA-40 A (12 kW, 15.5 kg/h, 21 L, 7 bar)	3290,00€	
70010B	WA-40 B (15 kW, 20.0 kg/h, 28 L, 7 bar)	3990,00 €	
70010C	WA-40 C (18 kW, 24.0 kg/h, 28 L, 7 bar)	3990,00 €	
70010D	WA-40 D (21 kW 27.5 kg/h, 28 L, 7 bar)	4100,00€	
70010E	WA-40 E (24 kW, 31.0 kg/h, 33 L, 6 bar)	4600,00 €	
70010F	WA-40 F (30 kW, 40.0 kg/h, 33 L, 6 bar)	4600,00 €	
70010G	WA-40 G (36 kW, 40.0 kg/h, 39 L, 5 bar)	4900,00€	



Version with condensate tank

The steam generator with the impeller pump and an automatic regulation of a water level.

The steam boiler is manufactured of stainless steel. It is also available as version with the stainless steel housing

It has complete CE certification

- Power supply: 400 V / 50 Hz
- Pump power: 500 W
- Max working preasure: 6 bar
- Heating elements: 12 / 15 / 18 / 21 / 24 / 30 kW
- Boiler capacity 18 / 21 / 28 / 33 L
- Efficiency: 16 / 20 / 24 / 27 / 32 / 40 kg/h
- Weight 54 kg
- Dimensions 750 x 600 x 950 cm

88403A	Body made of INOX	460,00€	
70053	Condensate tank 75L made of INOX	470,00€	
	Built-in HEMI touch panel with PLC controller – advanced device control, remote diagnosis.	1350,00€	
70081	Set of heavy-duty swivel polyamide wheels, including 2 wheels with brakes.	140,00 €	

Additional options

70012B	WA-40/2 B (42 kW, 54.0 kg/h, 2 x 28 L, 7 bar)	7400,00€	
70012C	WA-40/2 C (48 kW, 62.0 kg/h, 2 x 33 L, 6 bar)	7650,00€	
70012D	WA-40/2 D (60 kW, 78.0 kg/h, 2 x 33 L, 6 bar)	7650,00 €	



The steam generator with Two independent boilers with two impeller pumps and an automatic regulation of a water level.

The steam boiler is manufactured of a stainless steel. It is also available version with the stainless steel cover.

Has complete certification

- Power supply: 400 V / 50 Hz
- Pump power: 2 x 500 W
- Max Working preasure: 6 bar
- Heating elements: 36 / 42 / 48 / 60 kW
- Boiler capacity: 2x 28 L / 2 x 33 L

	Additional Options		
88403/2	Body made of INOX	500,00€	
70055	Condensate tank 120 L made of INOX	520,00€	



70011A	WA-40/1 A (15 kW, 20.0 kg/h, 28 L, 7 bar)	4900€	
70011B	WA-40/1 B (18 kW, 24.0 kg/h, 28 L, 7 bar)	4900€	
70011C	WA-40/1 C (21 kW, 27.5 kg/h, 28 L, 7 bar)	4990 €	
70011D	WA-40/1 D (24 kW ,31.0 kg/h, 33 L, 6 bar)	5490€	
70011E	WA-40/1 E (30 kW, 35.0 kg/h, 33 L, 6 bar)	5490€	



The steam generator with the impeller pump and an automatic regulation of a water level.

The steam boiler is manufactured of a stainless steel. It is also available as version with the stainless steel housing Condensate tank is built-in on standard version

It has complete CE certification

- Power supply: 400 V / 50 Hz
- Pump power: 500 W
- Max working pressure: 6 bar
- Heating elements: 18 / 21 / 24 / 30 kW
- Boiler capacity: 21 / 28 / 33 L

	Additional equipment		
88403	Stainless steel body	500€	
70066	Condensate tank heating (heating element 4,5 kW and cover of condensate tank)	325€	

70012E	WA-40/2 E (48 kW, 62.0 kg/h, 2 x 33 L, 6 bar)	9390,00 €	
70012F	WA-40/2 F (60 kW, 78.0 kg/h, 2 x 33 L, 6 bar)	9390,00€	
70012H	WA-40/3 G (126 kW 163 kg/h, 2 x 39 L, 5 bar)	13200,00€	
70012GG	WA-40/2 G (84 kW, 110kg/h, 2 x 39 L, 5 bar)	9690,00€	



Steam generator with two/three self-contained boilers, integrated impeller pumps and automatic water intake system. It has steam boilers and feed water tank made of acid-resistant steel. It has current protection for heating and control elements and a working time counter.

The device is protected against water shortage both in the water tank and in the steam boiler.

The water tank (condensate) is equipped with a water level regulator as standard (brass float valve), tap $\frac{1}{2}$ ", overflow and outflow $\frac{1}{2}$ ", condensate connection $\frac{1}{2}$ " and also condensate cooling system.

The device requires softened water with a maximum temperature of 70°C for operation.

Steam generator WA-40/2 meets all safety standards, has CE and UDT certificates of conformity

It has complete certification CE

- Power supply: 400 V / 50 Hz
- Pump power: 500 W each (2 or 3)
- Max Working pressure: 6 bar (WA-40/2 E,F)
- Max Working pressure: 5 bar (WA-40/3 G, WA-40/2 G)
- Heating elements: 48 / 60 kW
- Boiler capacity: 33 L / 39 L (depends of model)

	Additional options		
88403/2	Body made of INOX WA-40/2	590,00€	
88403/3	Body made of INOX WA-40/3	790,00€	
70066	Condensate tank heating (heating element 4,5 kW and cover of condensate tank)	325,00€	

70009D

WA-48/5 Steam Generator low pressure

6600,00 €



Steam generator for vaporization of wood with an automatic water intake system. Available with and without a water pump - for mains water. It has a steam boiler made of acid-resistant steel. The device requires softened water for operation.

OLA steam generator equipped with an acid resistant steel steam tank and 1.5kW or 2kW heating elements. Version for manual adding water.

It has an adjustable steam solenoid valve, manometer and a holder for suspending the wires of an iron or a gun. Equipped with an acoustic signaling device informing about the ending water level in the steam boiler.

OLA buzzer is an ideal solution for companies that provide services at the customer's premises using ironing devices. Super resistant to shocks during transport and work in demanding conditions

OLA steam generator with air-steam gun has two regulated solenoid valves. Ending water level beep.

The device requires softened water for operation.

Technical data:

- Power supply: 400 V / 50 Hz
- Steam generator heating elements power: 30 kW
- Boiler
 capacity: 72 L
- Working pressure: 0,20 0,45 bar (to set)
- Maksimum pressure PS: 0,5 bar



70013A	WA-44 (two solenoid valve, 4.2 kW, 4.5 bar, 7.2 L)	1450,00 €	
70013	WA-44 (two solenoid valve, 4.2 kW, 4.5 bar, 7.2 L, Inox tank)	1520,00 €	
70013A	WA-44 (two solenoid valve, 6 kW, 4.5 bar, 7.2 L)	1520,00 €	
70013AP	WA-44 (two solenoid valve, 6 kW, 4.5 bar, 7.2 L Inox tank)	1650,00 €	



The steam generator with the impeller pump and water level automatic regulation. Equipped with built-in water tank made of Inox. Easy access thanks to front door. The steam boiler is manufactured of a stainless steel. It has complete CE certification Manufacturer – ALUX

Technical data

- Power supply: 400 V / 50 Hz
- Pump power: 500 W
- Max Working preasure: 4,5 bar
- Heating elements: 4,2 kW / 6,0 kW
- Boiler capacity 7,2 L
- Solenoid valve with regulation 2 pcs
- Weight: 54 kg
- Dimensions: 36 x 48 x 94cm

70014	WA-44/1 (one solenoid valve, 3 kW, 3.5 bar, 7.2 L)	1190,00 €	
70015A	WA-44/2 (two solenoid valve, 4.2 kW, 3.5 bar, 7.2 L)	1300,00€	
70015B	WA-44/2 (two solenoid valve, 6 kW, 3.5 bar, 7.2 L)	1390,00€	



The steam generator with the impeller pump and water level automatic regulation. Equipped with water tank built-in.

The steam boiler is manufactured of stainless steel.

It has complete CE certification Manufacturer – ALUX

Technical data

- Power supply: 400 V / 50 Hz
- Pump power: 370 W
- Max working pressure: 4,5 bar
- Heating elements: 3 / 4,2 kW
- Boiler capacity: 7,2 L
- Solenoid valve with regulation: 1/2 pcs
- Efficiency: 3,9 / 5,4 kg/h
- Weight: 44 kg
- Dimensions: 40 x 40 x 84cm



70016	WA-44/3 (three solenoid valve, 6 kW, 4.5 bar, 9.8 L)	1590,00€	
70017	WA-44/4 (four solenoid valve, 8.4 kW, 4.5 bar, 9.8 L)	1790,00€	



WA-44/3

The steam generator with the impeller pump and an automatic regulation of water level.

The steam boiler is manufactured of stainless steel.

Ready to work with three (WA-44/3) or four (WA-44/4) devices.

It has complete certification CE Manufacturer – ALUX

Technical data

- Power supply: 400 V / 50 Hz
- Pump power: 500 W
- Max working pressure: 4,5 bar
- Heating elements: 6 / 8,4 kW
- Boiler capacity: 9,8 L
- Solenoid valve with regulation: 3/4 pcs
- Efficiency: 7,8 / 11 kg/h
- Weight: 59 kg
- Dimensions: 43 x 37 x 84cm

70018	WA-45 (one solenoid valve, 2 kW, 4.5 bar, 4 L) INOX	1290,00€	
70018A	WA-45 (one solenoid valve, 2 kW, 4.5 bar, 4 L) painted body	1290,00 €	

The steam generator with the piston pump and an automatic regulation of a water level. Body and boiler is made of INOX or painted body (70018A) Ready to work with one device. **Manufacturer – ALUX**



Technical data

- Power supply:230 V / 50 Hz
- Pump power: 48 W
- Max Working pressure: 5 bar
- Heating elements: 2 kW
- Boiler capacity 4 L
- Solenoid valve with regulation: 1 pcs
- Efficiency: 2,6 / 3,9 kg/h

	Additional Options		
80045A	Air - steam output for gun	140,00 €	
09963	Painted in white metal stand with shelf for plastic tank 10 L	110,00€	
099631	Inox metal stand with plastic tank 10 L	130,00€	



70048	OLA (one solenoid valve, 1.5 kW or 2 kW, 3.5 bar, 5 L)	490,00€	
70048A	OLA inox (one solenoid valve, 1.5 kW or 2 kW, 3.5 bar, 5 L)	490,00€	



The steam generator for manual refill of water. Equipped with a boiler made of INOX, heating element 2kW. Painted body. Ready to work with one item.

Equipped with flow regulation from steam outlet, pressure gauge, unbreakable water level pipe.

Voice alarm in case too low level water in boiler.

Soft water is recommended. Manufacturer – ALUX

Technical data

- Power supply: 230 V / 50 Hz
- Max working pressure: 3,5 bar
- Heating elements: 1,5 kW or 2 kW
- Boiler capacity 5 L
- Solenoid valve with regulation: 1 pcs
- Efficiency: 1,9 2,6 kg/h

	Additional Options		
09963	Painted in white metal stand with shelf for plastic tank 10 L	110,00 €	
09963/	Inox metal stand with shelf for plastic tank 10 L	130,00 €	
09964	Stand with an iron shelf and space for a 10 L water tank.	130,00 €	



70048EA	Ola PLUS 1 (one steam output, 2 kW, 3.5 bar, 5 L) solenoid pump	700,00 €	
70048E	Ola PLUS 2 (one steam output, 2 kW, 3.5 bar, 5 L) rotation pump	810,00 €	
70048EI	Ola PLUS 2 INOX (one steam output, 2 kW, 3.5 bar, 5 L) rotation pump body INOX	860,00€	



The semiautomatic steam generator equipped with a boiler made of INOX, heating element 2kW, impeller pump in version Ola PLUS 2 or solenoid pump for Ola PLUS 1

Equipped with flow regulation from steam outlet, pressure gauge, unbreakable water level pipe.

Voice alarm in case too low level water in boiler.

Soft water is recommended. Manufacturer – ALUX

Technical data

- Power supply:230 V / 50 Hz
- Max working pressure: 3,5 bar
- Heating elements: 2 kW
- Impeller pump power: 370 W
- Solenoid pump power: 48 W
- Boiler capacity: 5 L
- Solenoid valve with regulation: 1 pcs Efficiency: 2,6 kg/h

70048H

OLA Automat one solenoid valve for steam, 2 kW, 3.5 bar, 5L 810,00 € □



The steam generator with automatic refill of water. Equipped with a boiler made of INOX, heating element 2kW. Painted body. Ready to work with one item.

Equipped with flow regulation from steam outlet, pressure gauge, unbreakable water level pipe.

Voice alarm in case too low level water in boiler.

Soft water is recommended. Manufacturer – ALUX

Tecnical data

- Power supply:230 V / 50 Hz
- Max working pressure: 3,5 bar
- Heating elements: 2 kW
- Pump power: 48 W
- Boiler capacity: 5 L
- Solenoid valve with regulation: 1 pcs
- Efficiency: 2,6 kg/h



bar)

Mila Steam generator painted white (one steam output 2,5L, 1kW, 3

330 €

70001A

The factor of th

Mila steam generator equipped with steam boiler made of stainless steel and 1kW heating elements, an adjustable steam solenoid valve, the holder for hanging iron or gun wires

Mila device needs manual water refills.

It is recommended to fill the steam generator boiler with softened water.

Manufacturer – ALUX

Tecnical data

 Power supply: 	230 V / 50 Hz
-----------------------------------	---------------

- Power of boiler heating elements: 1,5 kW
- Boiler capacity: 2,5 L
- Number of electro-steam outputs: 1
- Working pressure: 3 bar

70001

Mila Inox steam generator (one steam output, housing made of inox, 330 € □ 2,5L, 1kW, 3 bar)



Mila Inox steam generator equipped with housing and boiler made of stainless steel, 1kW heating elements, an adjustable steam solenoid valve, a holder for hanging iron or gun wires

Mila device needs the manual water refills.

It is recommended to fill the steam generator boiler with softened water.

Manufacturer – ALUX


Tecnical data

- Power supply: 230 V / 50 Hz
- Power of boiler heating elements: 1kW
- Boiler capacity: 2,5 L
- Number of electro-steam outputs: 1
- Working pressure: 3 bar




	11.	ADDITIONAL EQUIPMENT		
20.4.00		х.		_
02102	WA-50 (for air-steam gur	·	260,00€	
02100	WA-50/1 (for industrial iro	on)	220,00€	
02101	WA-50/2 (for two industria	al irons)	270,00€	
ALLY WA-50	WA-50/1 WA-50/2	Steam condenser to connect in supply Made of inox • Power supply:230 V / 50 • Solenoid valve with regul • Thread diameter: G 3/8"	Hz	
30040	WA-60		550,00€	
	WA-GO ALUN	The Steam Heater – recommender exceed 3,5 m in length.	ed when the steam hoses	
	Condensate Tank			
70046	 For tables WA-9, W 	A-17 (17L)	230,00€	
70064	 For tables WA-8, W 	A-10N (15L)	230,00€	
	 Customised conde 	nsate tank	On request	
		Condensate tank made of INOX valve, ball valve and condensate		









43-365 Wilkowice, ul. Furmaniec 4 tel. 33 816 10 20, tel./fax 33 818 93 66 www.alux.pl, email: alux@alux.pl



43-365 Wilkowice, ul. Furmaniec 4 tel. 33 816 10 20, tel./fax 33 818 93 66 www.alux.pl, email: alux@alux.pl









43-365 Wilkowice, ul. Furmaniec 4 tel. 33 816 10 20, tel./fax 33 818 93 66 www.alux.pl, email: alux@alux.pl

80043 WA-120		170,00€	
35	140 50 50		
80043B WA-122/1 (heating elements 100	W + safety thermostat)	520,00€	
655 097 795	22		
80043C WA-123 (heating elem	ents 100 W + safety thermostat)	210,00€	
9 535			
80043D WA-124 (heating elem	ents 100 W + safety thermostat)	310,00€	
300	St 250		